



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Maracaibo	July 14		9							1		1		
Do.	July 28		15							2				
Do.	Aug. 4		7							2				
Do.	Aug. 11		17	1					1			1		
Do.	Aug. 25		7							2				
Do.	Sept. 1		17	2					1	1				
Mazatlan	Sept. 9	22,000	14					1						
Mexico	Aug. 19	719,052	319	29				6	5	5			1	1
Do.	Aug. 26		318	20										2
Moncton	Sept. 16	13,500	6							1				
Montreal	do.	450,000	198	22						7				3
Moscow	Aug. 13	1,500,000	780	69						6	11	8	26	3
Do.	Aug. 26		902	76				3	1	6	6	7	18	5
Monterey	Sept. 10	100,000	52	2										1
Munich	July 31	597,000	131									4	2	8
Nantes	Aug. 27	161,908	78	13						2				
Do.	Sept. 3		86	19						2		1		
Ottawa	Sept. 16	90,000	21											
Para.	Aug. 26	185,000	64	8								1		
Do.	Sept. 2		64	5			1							
Paris.	do.	2,846,986	802	163						7	2	3	8	9
Penang	Aug. 5	101,427	53	12					1					
Port Said	Aug. 19	52,811	2						1					
Quebec	Sept. 16	85,000	2									1		
Rotterdam	Sept. 2	432,000	126							1		1		
St. Petersburg.	Aug. 19	1,907,708	794	89				2		3	7	7	30	8
Do.	Aug. 26		790	87				1	1	12	10	8	24	13
Sheffield.	Sept. 2	454,653	166	12						1			1	3
Do.	Sept. 9		159	8								1		1
Singapore	July 29	303,328	267	27	2	9		1		2				
Do.	Aug. 8		267	40	1	4				1				
Stettin.	Sept. 2	234,033	131	3								2	1	
Tarragona.	do.	23,150	9	1						2				
Valencia.	do.	215,687	97	5					1		1			
Vancouver.	Sept. 9	100,000	23	2						2		1		
Vienna.	Aug. 26	2,047,968	654	100							2	6	4	2
Windsor.	Sept. 16	17,875	6							1		1		
Yokahoma.	Aug. 28	419,630												
Zanzibar	Aug. 14	70,000	26	4						1				

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated.)

ALGERIA—*Algiers*.—Month of June, 1911. Population, 172,397. Total number of deaths from all causes 315, including diphtheria 2, measles 11, smallpox 2, tuberculosis 48, typhoid fever 1, typhus fever 1. Month of July, 1911. Total number of deaths from all causes 354, including diphtheria 2, measles 4, smallpox 3, tuberculosis 56, typhoid fever 5.

FRANCE—*Toulon*.—Month of July, 1911. Population, 103,549. Total number of deaths from all causes 135, including diphtheria 1, measles 1, tuberculosis 21, typhoid fever 3.

GREAT BRITAIN.—Week ended August 26, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 21.2 per 1,000 of the population, which is estimated at 16,157,797.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 19.3 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Drogheda, viz, 4.2, and the highest at Newtownards, viz, 74.4 per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 15.5 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Perth, viz, 10.2, and the highest at Aberdeen, viz, 17.3 per 1,000. The total number of deaths from all causes was 509, including diphtheria 5, measles 4, scarlet fever 1, typhoid fever 4.

ITALY—*Genoa.*—Two weeks ended August 15, 1911. Population, 295,631. Total number of deaths from all causes 240, including diphtheria 4, tuberculosis 25, typhoid fever 2.

ORANGE FREE STATE—*Bloemfontein.*—Month of July, 1911. Population, 10,968. Total number of deaths from all causes 25, including tuberculosis 4.

ST. THOMAS.—Three weeks ended August 25, 1911. Population, 11,000. Total number of deaths from all causes 15. No deaths from contagious diseases.

TAHITI.—Two weeks ended August 18, 1911. Population, 4,000. Total number of deaths from all causes 6. No deaths from contagious diseases.

TURKS ISLAND.—Three weeks ended September 2, 1911. Population, 1,681. Total number of deaths from all causes 1. No contagious diseases.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.